BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

City of Greenville (Airbase)

| | Public Water Supply Name | - | | | | | |
|---------------------|--|---|--|--|--|--|--|
| | MS760014 List PWS ID #s for all Water Systems Covered b | v this CCR | | | | | |
| The E | | | | | | | |
| comma | ederal Safe Drinking Water Act requires each <i>community</i> public water sence report (CCR) to its customers each year. Depending on the population of mailed to the customers, published in a newspaper of local circulation, or presented to the customers. | served by the public water exetent this CCD | | | | | |
| Please | Answer the Following Questions Regarding the Consumer Confidence Re | port | | | | | |
| C | Customers were informed of availability of CCR by: (Attach copy of public | cation, water bill or other) | | | | | |
| | Advertisement in local paper On water bills Other | | | | | | |
| | Date customers were informed:// | | | | | | |
| ₹ | CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: | | | | | | |
| | Date Mailed/Distributed: 10 /21 /2009 | | | | | | |
| | CCR was published in local newspaper. (Attach copy of published CCR or | proof of publication) | | | | | |
| | Name of Newspaper: | | | | | | |
| | Date Published:/_/ | | | | | | |
| 3 | CCR was posted in public places. (Attach list of locations) | | | | | | |
| | Date Posted: / / | | | | | | |
|] | CCR was posted on a publicly accessible internet site at the address: www | | | | | | |
| CERTI | FICATION | | | | | | |
| ne torn consiste | certify that a consumer confidence report (CCR) has been distributed to to and manner identified above. I further certify that the information includes the matter quality monitoring data provided to the public water pent of Health, Bureau of Public Water Supply. | ided in this CCR is true and correct and is | | | | | |
| 77 . | Many of pur Public Works Director | October 22, 2009 | | | | | |
| Nume/I | Title (President, Mayor, Owner, etc.) | Date | | | | | |
| | | | | | | | |

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

Water Quality Data Table

| HER BANK BANKS | MCLG | MCL, | | | A) BUS | | | |
|---|--|----------------|---------------|---------------|------------|----------------|-----------|--|
| Contaminants | or MRDLG | TT, or MRDL | Your Water | Ran Low | ge High | Sample Date | Violation | Typical Source |
| | | | | | | | | |
| Disinfectants & Disinfection i | A STATE OF THE STA | | | | | | | |
| (There is convincing evidence t | hat addition of | a disinfectan | t is necessar | y for control | of microb | ial contamina | nts.) | |
| Haloacetic Acids (HAA5) (ppb) | NA | 60 | 27 | 15 | 36 | 2008 | No | By-product of drinking water chlorination |
| TTHMs [Total Trihalomethanes] (ppb) | NA | 80 | 44 | 17 | 70 | 2008 | No | By-product of drinking water disinfection |
| Chlorine(CL2) (ppm) | 4.0 | 4.0 | 0.72 | 0.12 | 2.15 | 2008 | No | Used for drinking water disinfection |
| Inorganic Contaminants | io Ar ^A leas | | | | | A Market | Art Parks | CARNELS OF SERVICE CORP. |
| Antimony (ppb) | 6 | 6 | 0.5 | NA | | 2007 | No | Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test |
| Arsenic (ppb) | 0 | 10 | 0.0005 | NA | | 2007 | No | Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production |
| Barium (ppm) | 2 | 2 | 0.002 | NA | | 2007 | No | Erosion of natural deposits |
| Chromium (ppb) | 100 | 100 | 1.00 | NA | | 2007 | No | Erosion of natural deposits |
| Fluoride (ppm) | 4 | 4 | 0.47 | NA | | 2007 | No | Erosion of natural deposits |
| Nitrate [measured as | 10 | 10 | 0.20 | NA | | 2008 | No | Erosion of natural deposits |
| Nitrite [measured as Nitrogen] (ppm) | 1 | 1 | 0.05 | NA | | 2008 | No | Erosion of natural deposits |
| Selenium (ppb) | 50 | 50 | 0.001 | NA | ., | 2007 | No | Erosion of natural deposits |
| Sulfate (ppm) | 250 | | 2.50 | NA | | 2007 | No | |
| song Ackbert spiceter | gkajno jujev | robeeses.V | Your | Sample | # S | amples | Exceeds | nda Alle Sterner (1906) de 1904 de 1904 |
| Contaminants | MCLG | AL | Water | Date | Exce | eding AL | AL. | Typical Source |
| Inorganic Contaminants | | | | | | | | |
| Copper - action level at consumer taps (ppm) | 1.3 | 1.3 | 0.40 | 2007 | | 0 | No | Corrosion of household plumbing systems Erosion of natural deposits |
| Lead - action level at consumer taps (ppb) | 0 | 15 | 2.0 | 2007 | | 0 | No | Corrosion of household plumbing systems Erosion of natural deposits |
| | | | IININ | ETECTE | D CONT | | ro | • |

| 9ph | | te per billion or | miarouruna na | tion (and) | |
|-----------------------------|----------|---------------------|----------------|--------------|---|
| Ppin | ppin: pa | rts per million, or | milligrams per | liter (mg/L) | |
| Term | Definiti | | | | |
| Unit Descriptions | | | | | |
| Asbestos (MFL) | 7 | 7 | ND | No | Decay of asbestos cement water mains; Erosion of natural deposits |
| Inorganic Contaminants | | | | | |
| Contaminants | MRDLG | MRDL | Your Water | Violation | Typical Source |
| 1.75% 0.30% (2.80%) (4.76%) | MCLG | MCL | | | |

| rpo | ppo. para par omnos, or morograms per mer (pp c) | | | | | |
|--------------------------------|---|--|--|--|--|--|
| MFL | MFL: million fibers per liter, used to measure asbestos concentration | | | | | |
| NA | NA: not applicable | | | | | |
| ND | ND: Not detected | | | | | |
| NR | NR: Monitoring not required, but recommended. | | | | | |
| Important Drinking Water Defin | tilons | | | | | |
| Term | Definition | | | | | |
| MCLG | MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. | | | | | |
| MCL | MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. | | | | | |
| TT | TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water. | | | | | |
| AL | AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a | | | | | |
| Variances and Exemptions | water system must follow. Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. | | | | | |
| MRDLG | MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. | | | | | |
| | | | | | | |

Million Keamey // 340 Main Steet // Greenville, MS 38701 // 662-378-1699 // 662-378-1598(fas) // waterplant@www.orcov.ille.ms.us
Brad Jones // 340 Main Steet // Greenville, MS 38701 // 662-378-1598 // jimes@www.orcov.ille.ms.us //
The Greenville Public Works Department maintains a presence on www.orcov.ille.ms.us/
The Greenville Public Works Department maintains a presence on www.orcov.ille.ms.us/
The Greenville Public Works Department maintains a presence on www.orcov.ille.ms.us/
The Greenville Public Works Department and then become a fan.

City of Greenville 2008 Drinking Water Quality Report Mid Delta Regional Airport (PWS ID# 0760014)



Spanish (Espanol)
Este informe contiene information muy importante sobre la calidad de su agua potable. Por favor lea este infore o comuniquese con alguien que pueda traducer la informacion

Our Quality Assurance personnel collected approximately 24 individual samples from locations on the Airport during 2008. These samples were submitted to and tested by the Mississippi State Department of Health. Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. We vigilantly safeguard our water supply and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard. This report is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. We are committed to providing you with this information because informed customers

Do I need to take special precautions?

Do I need to take special precautious?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791). Where does my water come from two wells located at the Airport. Both wells draw water from the Cockfield Aquifer at a depth of approximately 600 feet. Both are interconnected through approximately 6 for feet.

Both are interconnected through approximately 10 miles of large diameter distribution pipes. The distribution piping includes east iron, ductile iron, galvanized steel, and Polyvinylchloride. We chlorinate and fluoridate the groundwater prior to its injection into the distribution system at

and injurialized steel, and rodywinylcinolize, we cholinate and inconducting groundwater prior to its injection into the distribution system at both well situs. At this time no other treatment is required under the Safe Drinking Water Act. How much water is produced by the water system daily? The combined total production of the water system varies with demand. The theoretical maximum production capacity is 1,400,000 gallons per day. A typical daily production is 233,000 gallons per day. A typical daily production is 233,000 gallons per day. Why is our water brown?

The cocklield aquifer includes strata of prehistoric plant material that the water must travel through to reach our wells. These strata release through the production of the production of production of the product tannins into the water in the form of dissolved organic compounds. These compounds are bound to the water molecules. This makes the color extremely difficult to remove. Can the color be filtered out?

Cas the color be filtered out?

Homeowners can filter some of the color out with whole-house filters. These filters utilize activated carbon, zeofites, and/or other naturally occurring minerals. The City is investigating the feasibility of utilizing new emerging technologies to remove the color from the water. Source water assessment and its availability:

Our source water assessment has been completed by the Mississippi State Department of Health. The report is available for review at the Office of the Public Works Director.

Office of the Public Works Director.

Why are there contaminates in my dralking water?

Dirinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Dirinking water Hotline (800-426-4791). The sources of drinking water (toth tap and bottled water) include rivers, takes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity:

Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater unoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agricultural, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the results of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our city council conducts its meetings on the first and third Tuesday of each month at 4:00 p.m. We encourage all citizens who have any questions or concerns regarding their water service or other public services that the city provides to meet with us. We ask that customers who have questions concerning their water bills or regarding disruptions in service to please first contact the City of Greenville Water Department at 378-1580. For other technical concerns as to water quality utilize the telephone numbers listed below. You may also e-mail any comments or

duestions to us at <u>binary@rew.yeenville.mus</u>

How Dors Our Water Compare to Others?

For 2008 the City of Greenville Water System scored a 4.3 out of 5.0 on its sanitary survey conducted by the Mississippi Department of Health.

The state average for the year was 3.79 out of 5.0.

Other information:

Other Information:

For general information about the City of Greenville, you can view our home page on the internet at http://www.greenville.ms.us. Or you may want additional information about your drinking water. You may contact our certified waterworks operators listed below or you may prefer to log on to the Internet and obtain specific information about your system and its compliance history at the following address:

http://www.msdh.state.ms.us/watersupptv/index.htm information including current and past boil water notices, compliance and reporting

violations, and other information pertaining to your water supply including "Why, When, and How to Boil Your Drinking Water" and "Flooding violations, and other information pertaining to you water supply including "write, when, and now to boil your brinking water and "Flooding and Safe Drinking Water" may be obtained.

*Vulnerability Assessment:

The City of Greenville Water Utility performed a federally mandated vulnerability assessment. The document produced as a result of this

process will be utilized as guidance for the implementation of strategies to enhance the protection of our utility facilities.

Did you know that the average U.S. household uses approximately 350 gallons of water per day? Luckily there are many low cost or no-cost ways to conserve water. Water your lawn at the least sunny times of the day. Fix toiled and faucet least, Take short showers – a 5 minute showers uses 4 to 5 of gallons of water compared to up to 50 gallons for a bath. Turn the faucet off white brushing your teeth and shaving, 3-5 gallons per minute go down the drain. Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill Monitoring and Reporting of compliance data violations were described by the second of the s

whether or not our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State department of Health(MsDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the stage 1 disinfection byproducts rule. Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and hoe plumbing. City of Greenville is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.